Fluid Phase Equilibria, 64 (1991) 307–308
Elsevier Science Publishers B.V., Amsterdam

Contents Volume 64 (1991)

Prediction of vapour–liquid and liquid–liquid equilibria and of enthalpies of mixing in linear carbonates + *n*-alkane or + cyclohexane mixtures using DISQUAC
H.V. Kehiaian and J.A. Gonzalez (Paris, France), I. Garcia, J.C. Cobos, C. Casanova and M.J. Cocero (Valladolid, Spain) 1–11

Prediction and correlation of excess enthalpy and excess Gibbs energy of the 1-alkanol + *n*-alkane systems
K. Moorthi, P. Gierycz and I. Nagata (Kanazawa, Japan) 13–32

Predictions of CO_2 solubility and CO_2 saturated liquid density of heavy oils and bitumens using a cubic equation of state
A.K.M. Jamaluddin, N.E. Kalogerakis and A. Chakma (Calgary, Alb., Canada) 33–48

Thermodynamics of liquid mixtures of acids. 1. Liquid-phase association constants for alkanoic acids from the properties of pure fluids
K. Tamura and I. Nagata (Kanazawa, Japan) 49–60

Thermodynamics of liquid mixtures of acids. II. Vapor–liquid equilibria and excess molar enthalpies of alkanoic acid mixtures with hydrocarbons
I. Nagata and K. Tamura (Kanazawa, Japan) 61–72

Prediction of physical properties for non-polar compounds, petroleum and coal liquid fractions
M. Voulgaris, S. Stamatakis, K. Magoulas and D. Tassios (Athens, Greece) . . 73–106

The prediction of fluid phase equilibria of subcritical binary systems by using an equation of state
A. Vetere (Milan, Italy) 107–127

Quasi-lattice model of liquid–liquid interfacial tension for binary systems
B. Li and J. Fu (Beijing, People's Republic of China) 129–139

A framework for the prediction of saturation properties: vapor pressures
R.D. Shaver, R.L. Robinson, Jr. and K.A.M. Gasem (Stillwater, OK, USA) . . 141–163

Correlation of the solubility of ill-characterized solid compounds in supercritical fluids by a cubic equation
G. Soave (Milan, Italy) 165–171

Application of the VdW-711 equation of state to polar mixtures: correlation of binary and prediction of multi-component vapour–liquid equilibria
N.S. Kalospiros, G.M. Misseyannis, I.P. Androulakis and D.P. Tassios (Athens, Greece) 173–184

Vapor–liquid equilibrium of formaldehyde-containing mixtures at temperatures below 320 K
H. Hasse and G. Maurer (Kaiserslautern, Germany) 185–199

Correlation of solid–liquid and vapor–liquid equilibrium data for polynuclear aromatic compounds
A. Gupta, S. Gupta, F.R. Groves, Jr. and E. McLaughlin (Baton Rouge, LA, USA) 201–211

Measurement and thermodynamic interpretation of high-pressure vapour–liquid equilibria in the toluene–CO_2 system
A.L. Muhlbauer and J.D. Raal (Natal, South Africa) 213–236

Liquid-phase *PVT* data of alkylbenzenes
K. Chyliński and J. Gregorowicz (Warsaw, Poland) 237–249
Phase behaviour of the ethylene–methyl acrylate system
B.M. Hasch and M.A. McHugh (Baltimore, MD, USA) 251–261
PVT data from refractive index measurements for the ethane + nitrogen system from 270 to 350 K and pressures to 28 MPa
H.J. Achtermann and G. Magnus (Hannover, Germany), H.M. Hinze and M. Jaeschke (Dorsten, Germany) 263–280
Vapour–liquid equilibria in the heptane–2-pentanol and heptane–2-methyl-1-butanol systems at 75, 85 and 95 °C
J. Wolfová, J. Linek and I. Wichterle (Prague, Czechoslovakia) 281–289
Liquid–liquid equilibria for ternary systems. I. C_6-isomers + sulfolane + toluene at 298.15 K
M. Mondragón-Garduño, A. Romero-Martínez and A. Trejo (Mexico City, Mexico) 291–303

Author Index 305

Contents of Volume 64 (1991) 307–308